

## Section 1: Identification

**Product identifier** MILPRO® CIMDRAULIC™ 32  
HYDRAULIC OIL

### Other means of identification

**SDS No.** Not applicable

### Recommended use of the chemical and restrictions on use

**Recommended use** HYDRAULIC OIL

**Restrictions on use** None known.

### Details of manufacturer or importer

#### Manufacturer

**Company name** CIMCOOL® Korea Inc  
**Address** 255, Gongdan-ro, Onsan-eup, Ulju-gun, Ulsan, Korea

**Telephone** +82-52-239-2333

**Emergency telephone number (Korea CHEMTREC)** 003-0813-2549

#### Supplier

**Company name** TRADE TOOLS  
**Address** 23 Olive Road, Penrose  
Auckland 1642

**Telephone (General Information)** +64 9 525 8882

**Emergency telephone number (24 hour access)** 03 4747 000 (New Zealand Poisons Information Centre)

**Emergency telephone number (New Zealand CHEMTREC)** 64-98010034

## Section 2: Hazard identification

### Classification of the hazardous chemical

**Physical hazards** Not classified.

**Health hazards** Not classified.

**Environmental hazards** Not classified.

### Label elements, including precautionary statements

**Hazard symbol(s)** None.

**Signal word** None.

**Hazard statement(s)** The mixture does not meet the criteria for classification.

#### Precautionary statement(s)

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards which do not result in classification** None.

**Supplemental information** None.

## Section 3: Composition/information on ingredients

### Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
DISTILLATES, (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7	90 - 100
Other components below reportable levels		< 1

## Section 4: First-aid measures

### Description of necessary first aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Wash off with soap and water. Get medical attention if irritation develops and persists.
<b>Eye contact</b>	Rinse with water. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
<b>Personal protection for first-aid responders</b>	If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.
<b>Symptoms caused by exposure</b>	Direct contact with eyes may cause temporary irritation.
<b>Medical attention and special treatment</b>	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

## Section 5: Fire-fighting measures

### Extinguishing media

<b>Suitable extinguishing media</b>	Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical** During fire, gases hazardous to health may be formed.

**Special protective equipment and precautions for fire fighters** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**Fire fighting equipment/instructions** Move containers from fire area if you can do so without risk.

**Hazchem code** 3Y E

**Hazards from combustion products** Smoke, fumes, and oxides of carbon

**General fire hazards** No unusual fire or explosion hazards noted.

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

## Section 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
<b>For emergency responders</b>	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

**Methods and materials for containment and cleaning up** The product is immiscible with water and will spread on the water surface. Local authorities should be advised if significant spillages cannot be contained.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

## Section 7: Handling and storage

**Precautions for safe handling** Do not handle until all safety precautions have been read and understood. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities** Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

## Section 8: Exposure controls/personal protection

**Control parameters** Follow standard monitoring procedures.

### Occupational exposure limits

#### ACGIH

#### Components

#### Type

#### Value

DISTILLATES,  
(PETROLEUM),  
HYDROTREATED HEAVY  
PARAFFINIC (CAS  
64742-54-7)

TWA

5 mg/m<sup>3</sup>

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, for example personal protective equipment (PPE)

#### Eye/face protection

Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is recommended.

#### Skin protection

##### Hand protection

Use protective gloves made of: Nitrile.

##### Other

Wear suitable protective clothing and gloves.

#### Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

### Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## Section 9: Physical and chemical properties

### Appearance

CLEAR

#### Physical state

Liquid.

#### Form

Liquid.

#### Color

Not available.

### Odor

CHEMICAL

### Odor threshold

Not available.

### pH

Not Applicable

### Melting point/freezing point

Not available.

### Initial boiling point and boiling range

Not available.

### Flash point

428 °F (220 °C) Cleveland Open Cup

### Evaporation rate

Not available.

### Flammability (solid, gas)

Not applicable.

### Upper/lower flammability or explosive limits

#### Flammability limit - lower (%)

Not available.

#### Flammability limit - upper (%)

Not available.

#### Explosive limit - lower (%)

Not available.

#### Explosive limit - upper (%)

Not available.

### Vapor pressure

Not available.

### Vapor density

Not available.

### Relative density

Not available.

### Solubility(ies)

#### Solubility (water)

Insoluble in Water

### Partition coefficient (n-octanol/water)

Not available.

### Auto-ignition temperature

Not available.

### Decomposition temperature

Not available.

<b>Kinematic viscosity</b>	Not available.
<b>Other physical and chemical parameters</b>	
<b>Explosive properties</b>	Not explosive.
<b>Oxidizing properties</b>	Not oxidizing.
<b>Specific gravity</b>	0.870
<b>Viscosity</b>	32 mm <sup>2</sup> /s @ 40°C

## Section 10: Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
<b>Incompatible materials</b>	Strong oxidizing agents.
<b>Hazardous decomposition products</b>	Smoke, fumes, and oxides of carbon

## Section 11: Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	Based on available data, the classification criteria are not met.
<b>Skin contact</b>	Based on available data, the classification criteria are not met.
<b>Eye contact</b>	Direct contact with eyes may cause temporary irritation.
<b>Ingestion</b>	Based on available data, the classification criteria are not met.

**Symptoms related to the physical, chemical and toxicological characteristics** Direct contact with eyes may cause temporary irritation.

### Information on toxicological effects

#### Acute toxicity

Components	Species	Test Results
DISTILLATES, (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7)		
<b>Acute</b>		
<b>Dermal</b>		
<i>Liquid</i>		
LD50	Rabbit	> 5000 mg/kg
<b>Oral</b>		
<i>Liquid</i>		
LD50	Rat	> 5000 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

**Serious eye damage/eye irritation** Direct contact with eyes may cause temporary irritation.

**Respiratory irritation** Knowledge about health hazard is incomplete.

#### Respiratory or skin sensitization

<b>Respiratory sensitization</b>	Not a respiratory sensitizer.
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Oil /Distillate meets the EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

#### ACGIH Carcinogens

Not available.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

<b>Specific target organ toxicity - single exposure</b>	Not classified.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not an aspiration hazard.
<b>Narcotic effects</b>	Due to lack of data the classification is not possible.
<b>Chronic effects</b>	Not available.
<b>Further information</b>	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

## Section 12: Ecological information

<b>Ecotoxicity</b>	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
<b>Persistence and degradability</b>	No data is available on the degradability of this product.
<b>Bioaccumulative potential</b>	
<b>Partition coefficient n-octanol / water (log Kow)</b>	
DISTILLATES, (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	3.9 - 6
<b>Mobility in soil</b>	The product is immiscible with water and will spread on the water surface.
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## Section 13: Disposal considerations

<b>Disposal methods</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
<b>Residual waste</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>Special precautions to be taken during disposal</b>	Dispose in accordance with all applicable regulations.
<b>Method of disposal that should not be used</b>	None known.

## Section 14: Transport information

<b>IATA</b>	Not regulated as dangerous goods.
<b>IMDG</b>	Not regulated as dangerous goods.
<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not established.

## Section 15: Regulatory information

### Applicable regulations

#### New Zealand Inventory of Chemicals (NZIoC): Registration status

DISTILLATES, (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC (CAS 64742-54-7)	May be used as a single component chemical under an appropriate group standard
--	--

## Section 16: Other information

<b>Issue date</b>	03-20-2019
<b>Revision date</b>	04-11-2021
<b>Version #</b>	04
<b>Key abbreviations or acronyms used</b>	Not available.
<b>Disclaimer</b>	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.