Sutton Tools

Chemwatch: 5164-92 Version No: 5.1

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

Issue Date: 23/12/2022 Print Date: 07/03/2024 S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	Sutton Venom Endurance Cutting Spray		
Synonyms	Not Available		
Proper shipping name	AEROSOLS		
Chemical formula	Not Applicable		
Other means of identification	Not Available		

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Multi-functional tapping fluid lubricant.
	Application is by spray atomisation from a hand held aerosol pack

Details of the manufacturer or supplier of the safety data sheet

Registered company name	Sutton Tools		
Address	78 Settlement Road Thomastown Victoria 3074 Australia		
Telephone	1 3 9280 0800		
Fax	61 3 9464 0015		
Website	http://suttontools.com/		
Email	specsales@sutton.com.au		

Emergency telephone number

Association / Organisation	CHEMWATCH EMERGENCY RESPONSE (24/7)	
Emergency telephone numbers	+61 1800 951 288	
Other emergency telephone numbers	+61 3 9573 3188	

Once connected and if the message is not in your preferred language then please dial 01

SECTION 2 Hazards identification

Classification of the substance or mixture

COMBUSTIBLE LIQUID, regulated for storage purposes only

Poisons Schedule	Not Applicable	
Classification ^[1]	Flammable Liquids Category 4, Aspiration Hazard Category 1, Serious Eye Damage/Eye Irritation Category 2B, Specific Target Organ Toxicity - Single Exposure (Narcotic Effects) Category 3	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	

Label elements

Hazard pictogram(s)	
Signal word	

Hazard statement(s)

H227	Combustible liquid.	
H304	ay be fatal if swallowed and enters airways.	
H320	Causes eye irritation.	
H336	May cause drowsiness or dizziness.	

AUH044	Risk of explosion if heated under confinement.	
AUH066	Repeated exposure may cause skin dryness and cracking.	

Precautionary statement(s) Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P271	Use only outdoors or in a well-ventilated area.	
P261	Avoid breathing mist/vapours/spray.	
P280	Wear protective gloves and protective clothing.	
P264	Wash all exposed external body areas thoroughly after handling.	

Precautionary statement(s) Response

• • • • • • •			
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician/first aider.		
P331	Do NOT induce vomiting.		
P370+P378	In case of fire: Use water spray/fog to extinguish.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P312	2 Call a POISON CENTER/doctor/physician/first aider/if you feel unwell.		

Precautionary statement(s) Storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed.	P405		

Precautionary statement(s) Disposal

P501

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
64742-48-9.	30-60	naphtha petroleum, heavy, hydrotreated
Not Available	30-60	EP additives, nonhazardous
124-38-9	<10 <u>carbon dioxide</u>	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available	

SECTION 4 First aid measures

Description of first aid measures

Description of first and measure	- -
	If this product comes in contact with the eyes: Wash out immediately with fresh running water.
Eye Contact	Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper
	and lower lids. ▶ Seek medical attention without delay; if pain persists or recurs seek medical attention.
	Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
	If skin contact occurs:
Skin Contact	Immediately remove all contaminated clothing, including footwear.
	Flush skin and hair with running water (and soap if available).
	Seek medical attention in event of irritation.
	If fumes or combustion products are inhaled remove from contaminated area.
la haladian	Lay patient down. Keep warm and rested.
Inhalation	Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.
	Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained.
	Perform CPR if necessary.
	Transport to hospital, or doctor.
	If swallowed do NOT induce vomiting.
Ingestion	If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
ingestion	 Observe the patient carefully.
	Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.
	 Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Issue Date: 23/12/2022 Print Date: 07/03/2024

Continued...

Sutton Venom Endurance Cutting Spray

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Version No: 5.1

Extinguishing media

- Water spray or fog.
- Foam.
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.

Special hazards arising from the substrate or mixture

	1
Fire Incompatibility	Avoid contamination with strong oxidising agents as ignition may result
Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. May be violently or explosively reactive. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area.
Fire/Explosion Hazard	 Combustible. Slight fire hazard when exposed to heat or flame. Heating may cause expansion or decomposition leading to violent rupture of containers. On combustion, may emit toxic fumes of carbon monoxide (CO). May emit acrid smoke. Decomposes on heating and produces toxic fumes of:
	carbon dioxide (CO2)
HAZCHEM	Not Applicable

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Wear protective clothing, impervious gloves and safety glasses. Shut off all possible sources of ignition and increase ventilation. Wipe up.
Major Spills	 Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. May be violently or explosively reactive. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water courses No smoking, naked lights or ignition sources.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling	
Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. DO NOT enter confined spaces until atmosphere has been checked.
Other information	 Store in original containers. Store in an upright position. DO NOT store in pits, depressions, basements or areas where vapours may be trapped. No smoking, naked lights, heat or ignition sources. Keep containers securely sealed.

Conditions for safe storage, including any incompatibilities

Suitable container	Aerosol dispenser.
	Check that containers are clearly labelled.
Storage incompatibility	Avoid storage with oxidisers

Notes

Peak

Sutton Venom Endurance Cutting Spray

TWA

STEL

Material name

SECTION 8 Exposure controls / personal protection

Ingredient

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source

Version No: 5.1

Sutton Venom Endurance Cutting Spray

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	naphtha petroleum, heavy, hydrotreated	Oil mist, refined mineral	5 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	carbon dioxide	Carbon dioxide	5000 ppm / 9000 mg/m3	54000 mg/m3 / 30000 ppm	Not Available	Not Available
Australia Exposure Standards	carbon dioxide	Carbon dioxide in coal mines	12500 ppm / 22500 mg/m3	54000 mg/m3 / 30000 ppm	Not Available	Not Available
Emergency Limits						
Ingredient	TEEL-1	TEEL-2		TEEL-3		
naphtha petroleum, heavy, hydrotreated	350 mg/m3	1,800 mg/m3		40,000 mg/m3		
Ingredient	Original IDLH		Revised ID	LH		
naphtha petroleum, heavy, hydrotreated	2,500 mg/m3		Not Availabl	e		
carbon dioxide	40,000 ppm		Not Availabl	e		

Exposure controls

Appropriate engineering controls	Use in a well-ventilated area Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly.
Individual protection measures, such as personal protective equipment	
Eye and face protection	 No special equipment for minor exposure i.e. when handling small quantities. OTHERWISE: For potentially moderate or heavy exposures: Safety glasses with side shields. NOTE: Contact lenses pose a special hazard; soft lenses may absorb irritants and ALL lenses concentrate them.
Skin protection	See Hand protection below
Hands/feet protection	 No special equipment needed when handling small quantities. OTHERWISE: For potentially moderate exposures: Wear general protective gloves, eg. light weight rubber gloves. For potentially heavy exposures: Wear chemical protective gloves, eg. PVC. and safety footwear.
Body protection	See Other protection below
Other protection	No special equipment needed when handling small quantities. OTHERWISE: • Overalls. • Barrier cream. • Eyewash unit.
	DO NOT spray on hot surfaces.

Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required.

Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	A-AUS P3	-	A-PAPR-AUS / Class 1 P3
up to 50 x ES	-	A-AUS / Class 1 P3	-
up to 100 x ES	-	A-2 P3	A-PAPR-2 P3 ^

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

SECTION 9 Physical and chemical properties

Continued...

Sutton Venom Endurance Cutting Spray

Appearance	Clear, dark brown liquid with faint petroleum odour; do	es not mix with water. Supplied in aero	sol pack.
Physical state	Liquid	Relative density (Water = 1)	0.95

Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Applicable	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	187	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	63	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Combustible.	Oxidising properties	Not Available
Upper Explosive Limit (%)	7.0	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	0.6	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Applicable	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Applicable
Vapour density (Air = 1)	3.5	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Elevated temperatures. Presence of open flame. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

ting animal or human evidence. some evidence to suggest that this material can come some evidence to suggest that this material can compose olvent inhalation exposures may result in nervous or exposure over long periods to mixed hydrocarb mia, and reduced liver and kidney function. Skin e TY ilable TY	other classification systems as "harmful by ingestion". This is because of the lack of cause inflammation of the skin on contact in some persons. cause eye irritation and damage in some persons. sause eye irritation and damage in some persons. s system impairment and liver and blood changes. [PATTYS] coons may produce stupor with dizziness, weakness and visual disturbance, weight loss exposure may result in drying and cracking and redness of the skin. IRRITATION Not Available IRRITATION
nome evidence to suggest that this material can crown evidence to suggest that this material can crown of exposure over long periods to mixed hydrocarb mia, and reduced liver and kidney function. Skin e	cause eye irritation and damage in some persons. s system impairment and liver and blood changes. [PATTYS] poons may produce stupor with dizziness, weakness and visual disturbance, weight loss exposure may result in drying and cracking and redness of the skin. IRRITATION Not Available
olvent inhalation exposures may result in nervous or exposure over long periods to mixed hydrocarb mia, and reduced liver and kidney function. Skin e TY illable TY	s system impairment and liver and blood changes. [PATTYS] oons may produce stupor with dizziness, weakness and visual disturbance, weight loss exposure may result in drying and cracking and redness of the skin. IRRITATION Not Available
or exposure over long periods to mixed hydrocarb mia, and reduced liver and kidney function. Skin e TY ilable TY	boons may produce stupor with dizziness, weakness and visual disturbance, weight loss exposure may result in drying and cracking and redness of the skin. IRRITATION Not Available
ilable TY	Not Available
ТҮ	
	IRRITATION
(rabbit) LD50: >1900 mg/kg ^[1]	Eye: no adverse effect observed (not irritating) ^[1]
on(Rat) LC50: >4.42 mg/L4h ^[1]	Skin: adverse effect observed (irritating) ^[1]
at) LD50: >4500 mg/kg ^[1]	
тү	IRRITATION
ilable	Not Available
btained from Europe ECHA Registered Substanc data extracted from RTECS - Register of Toxic Ef	ces - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise ffect of chemical Substances
	ry liable btained from Europe ECHA Registered Substanc

be present in mineral oil, n-paraffins may be absorbed to a greater extent than iso- or cyclo-paraffins. The major classes of hydrocarbons are well absorbed into the gastrointestinal tract in various species. In many cases, the hydrophobic hydrocarbons are ingested in association with fats in the diet. Some hydrocarbons may appear unchanged as in the lipoprotein particles in the gut lymph, but most hydrocarbons partly separate from fats and undergo metabolism in the gut cell. The gut cell may play a major role in

	determining the proportion of hydrocarbon that become or the liver. Petroleum contains aromatic (benzene, toluene, ethyl b detrimental health effects, including, cancer, tumour for Animal testing shows breathing in petroleum causes tu Similarly, exposure to gasoline over a lifetime can caus Most studies involving gasoline have shown that gasoli (such as in petrol service station attendants). Animal studies show concentrations of toluene (>0.1%) the nervous system of the foetus. Other studies show n Prolonged contact with petroleum may result in skin int materials.	penzene, napthalene) and aliphatic hyper- mation, hearing loss, and nervous systemours of the liver and kidney; these are the kidney cancer in animals, but the re- ne does not cause genetic mutation, in can cause developmental effects suc- to adverse effects on the foetus.	drocarbons (n-hexane), which can result in many stem toxicity. re however not considered to be relevant in humans. levance in humans is questionable. ncluding all recent studies in living human subjects sh as lower birth weight and developmental toxicity to
Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	✓
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	✓
		Legend: 🛛 🔀 – Data either n	ot available or does not fill the criteria for classification

X – Data either not available or does not fill the
 V – Data available to make classification

SECTION 12 Ecological information

Toxicity

Sutton Venom Endurance Cutting Spray	Endpoint	Test Duration (hr)	Species	Value	Source
	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
naphtha petroleum, heavy,	EC50	48h	Crustacea >0.00		2
hydrotreated	EC50	96h	Algae or other aquatic plants	64mg/l	
	EC50(ECx)	48h	Crustacea	>0.002mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
carbon dioxide	LC50	96h	Fish	35mg/l	1
Legend:	Ecotox databa	1. IUCLID Toxicity Data 2. Europe ECHA Registe se - Aquatic Toxicity Data 5. ECETOC Aquatic Ha. tion Data 8. Vendor Data	•		

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
carbon dioxide	LOW	LOW
Bioaccumulative potential		

Ingredient Bioaccumulation carbon dioxide LOW (LogKOW = 0.83) Mobility in soil Ingredient Mobility carbon dioxide HIGH (KOC = 1.498)

SECTION 13 Disposal considerations

Waste treatment methods	
Product / Packaging disposal	 Consult State Land Waste Management Authority for disposal. Discharge contents of damaged aerosol cans at an approved site. Allow small quantities to evaporate. DO NOT incinerate or puncture aerosol cans. Bury residues and emptied aerosol cans at an approved site.

SECTION 14 Transport information

	2
Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG)

14.1. UN number or ID number	1950	1950	
14.2. UN proper shipping name	AEROSOLS	AEROSOLS	
14.3. Transport hazard class(es)	Class Subsidiary Hazard	2.2 Not Applicable	
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
14.6. Special precautions for user	Special provisions63 190 277 327 344 381Limited quantity1000ml		

Air transport (ICAO-IATA / DGR)

14.1. UN number	1950		
14.2. UN proper shipping name	Aerosols, non-flammable		
	ICAO/IATA Class	2.2	
14.3. Transport hazard class(es)	ICAO / IATA Subsidiary Hazard	Not Applicable	
0.000(00)	ERG Code	2L	
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
14.6. Special precautions for user	Special provisions		A98 A145 A167 A802
	Cargo Only Packing Instructions		203
	Cargo Only Maximum Qty / Pack		150 kg
	Passenger and Cargo Packing Instructions		203
	Passenger and Cargo Maximum Qty / Pack		75 kg
	Passenger and Cargo Limited Qu	antity Packing Instructions	Y203
	Passenger and Cargo Limited Ma	ximum Qty / Pack	30 kg G

Sea transport (IMDG-Code / GGVSee)

14.1. UN number	1950		
14.2. UN proper shipping name	AEROSOLS		
14.3. Transport hazard class(es)	IMDG Class 2.2 IMDG Subsidiary Hazard Not Applicable		
14.4. Packing group	Not Applicable		
14.5 Environmental hazard	Not Applicable		
14.6. Special precautions for user	EMS NumberF-D , S-USpecial provisions63 190 277 327 344 381 959Limited Quantities1000 ml		

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
naphtha petroleum, heavy, hydrotreated	Not Available
carbon dioxide	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
naphtha petroleum, heavy, hydrotreated	Not Available
carbon dioxide	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

naphtha petroleum, heavy, hydrotreated is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australian Inventory of Industrial Chemicals (AIIC)

Chemical Footprint Project - Chemicals of High Concern List

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Not Classified as Carcinogenic

carbon dioxide is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

FEI Equine Prohibited Substances List - Controlled Medication

FEI Equine Prohibited Substances List (EPSL)

Additional Regulatory Information

Not Applicable

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	Yes
Canada - DSL	Yes
Canada - NDSL	No (naphtha petroleum, heavy, hydrotreated; carbon dioxide)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	Yes
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	Yes
Vietnam - NCI	Yes
Russia - FBEPH	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16 Other information

Revision Date	23/12/2022
Initial Date	06/02/2015

SDS Version Summary

Version	Date of Update	Sections Updated
4.1	01/11/2019	One-off system update. NOTE: This may or may not change the GHS classification
5.1	23/12/2022	Classification review due to GHS Revision change.

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- PC-TWA: Permissible Concentration-Time Weighted Average
- ▶ PC-STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit。
- IDLH: Immediately Dangerous to Life or Health Concentrations

Version No: 5.1

Sutton Venom Endurance Cutting Spray

- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors

BEI: Biological Exposure Index

DNEL: Derived No-Effect Level

PNEC: Predicted no-effect concentration

AIIC: Australian Inventory of Industrial Chemicals

- DSL: Domestic Substances List
- ۶ NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
- EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIOC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory
- FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.